





High Quality Vinyl Materials Manufacturer







SINOVINYL[®]
Perfect Graphics Solutions

Window Tint Film

Item	Code	Visible Light Transimission (VLT)	Heat Rejection (IRR)	UVR	Thickness	Size	Unit	Feature	Picture
1 PLY Dyed Car Windw Tint Film	1P-BK5	5%	65%	80%	1.2 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
1 PLY Dyed Car Windw Tint Film	1P-BK18	18%	55%	80%	1.2 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
1 PLY Dyed Car Windw Tint Film	1P-BK35	35%	45%	80%	1.2 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	

1 PLY Dyed Car Windw Tint Film	1P-BK50	50%	30%	80%	1.2 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
2 PLY Dyed Car Windw Tint Film	2P-BK8	8%	65%	99%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
2 PLY Dyed Car Windw Tint Film	2P-BK18	18%	55%	80%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
2 PLY Dyed Car Windw Tint Film	2P-BK35	35%	45%	80%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
Car Windw Tint Film Front Windshield	WT-TS70	70%	40%	90%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading 3 years durability	
Ceramic Carbon Car Window Tint Film	CC-BK5	5%	96%	99%	1.8 Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years durability	
Ceramic Carbon Car Window Tint Film	CC-BK8	8%	89%	99%	1.8 Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years durability	

Ceramic Carbon Car Window Tint Film	CC-BK15	15%	87%	99%	1.8 Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years durability	
Ceramic Carbon Car Window Tint Film	CC-BK35	35%	90%	99%	1.8 Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years durability	
Ceramic Carbon Car Window Tint Film	CC-BK50	50%	90%	99%	1.8 Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years durability	
Ceramic Carbon Car Window Tint Film	CC-BK75	75%	84%	99%	1.8 Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years durability	
Diffuse Ceramic Car Window Tint Film	DC-BK8	8%	95%	99%	2 Mil	1.52x30M 5x98FT	Roll	Anti glare High definition High thermal insulation No oxidize 8 years durability	
Diffuse Ceramic Car Window Tint Film	DC-BK20	20%	95%	99%	2 Mil	1.52x30M 5x98FT	Roll	Anti glare High definition High thermal insulation No oxidize 8 years durability	
Diffuse Ceramic Car Window Tint Film	DC-BK38	38%	95%	99%	2 Mil	1.52x30M 5x98FT	Roll	Anti glare High definition High thermal insulation No oxidize 8 years durability	
Diffuse Ceramic Car Window Tint Film	DC-BK60	60%	95%	99%	2 Mil	1.52x30M 5x98FT	Roll	Anti glare High definition High thermal insulation No oxidize 8 years durability	

Diffuse Ceramic Car Window Tint Film	DC-BK70	70%	95%	99%	2 Mil	1.52x30M 5x98FT	Roll	Anti glare High definition High thermal insulation No oxidize 8 years durability	
Magnetron Ceramics Car Window Tint Film	MC-BK5	5%	99%	99%	2 Mil	1.52x30M 5x98FT	Roll	IRR 99%, Anti glare Anti-explosion, Clear vision High definition High thermal insulation 8 years durability	
Magnetron Ceramics Car Window Tint Film	MC-BK25	25%	99%	99%	2 Mil	1.52x30M 5x98FT	Roll	IRR 99%, Anti glare Anti-explosion, Clear vision High definition High thermal insulation 8 years durability	
Magnetron Ceramics Car Window Tint Film	MC-BK35	35%	99%	99%	2 Mil	1.52x30M 5x98FT	Roll	IRR 99%, Anti glare Anti-explosion, Clear vision High definition High thermal insulation 8 years durability	
Magnetron Ceramics Car Window Tint Film	MC-BK50	50%	99%	99%	2 Mil	1.52x30M 5x98FT	Roll	IRR 99%, Anti glare Anti-explosion, Clear vision High definition High thermal insulation 8 years durability	
Mirror Silver Window Glass Film	WT-SL15	15%	90%	74%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Anti-explosion 5 years durability	
2 Mil Safety Glass Protection Film	2M-90	90%	10%	20%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	

4 Mil Safety Glass Protection Film	4M-90	90%	10%	20%	4 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
4 Mil Black Safety Glass Protection Film	4M-BK6	6%	66%	99%	4 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
4 Mil Black Safety Glass Protection Film	4M-BK18	18%	53%	99%	4 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
4 Mil Black Safety Glass Protection Film	4M-BK30	30%	44%	99%	4 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
4 Mil Black Safety Glass Protection Film	4M-BK45	45%	44%	99%	4 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
8 Mil Safety Glass Protection Film	8M-85	85%	10%	20%	8 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	

12 Mil Safety Glass Protection Film	12M-85	85%	10%	20%	12 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
Chameleon Car Window Tint Film Blue Purple 6099	WT-6099	55%	94%	99%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
Chameleon Car Window Tint Film Blue Purple 7099	WT-7099	69%	93%	99%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
Rainbow Window Glass Film Rainbow blue purple	8590	86%	11%	60%	3.2Mil	1.38x30M 4.5x98FT	Roll	Anti-scratch No fading 8 years durability	
Rainbow Window Glass Film Rainbow amber orange	8591	53%	13%	27%	3.2Mil	1.38x30M 4.5x98FT	Roll	Anti-scratch No fading 8 years durability	

Window Glass Film Mint Green	WT-MG	29.9%	27.9%	99.8%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading 5 years durability	
Window Glass Film Orange	WT-OR	24.7%	9.5%	93.4%	2 Mil	1.52x30M 5x98FT	Roll		
Window Glass Film Light Blue	WT-LB	55.5%	10.9%	84.7%	2 Mil	1.52x30M 5x98FT	Roll		
Window Glass Film Pink	WT-PK	39.9%	13.1%	57.4%	2 Mil	1.52x30M 5x98FT	Roll		
Window Glass Film Yellow	WT-YL	80.8%	13.3%	82.7%	2 Mil	1.52x30M 5x98FT	Roll		
Window Glass Film Red	WT-RD	2.6%	10.5%	99.0%	2 Mil	1.52x30M 5x98FT	Roll		
Window Glass Film Brown	WT-BR	16.5%	10.5%	90.0%	2 Mil	1.52x30M 5x98FT	Roll		
Window Glass Film Purple	WT-PU	9.3%	10.7%	87.2%	2 Mil	1.52x30M 5x98FT	Roll		
Window Glass Film Green	WT-GR	54.9%	12.4%	99.5%	2 Mil	1.52x30M 5x98FT	Roll		
Window Glass Film Gradient	WT-GT	/	/	/	2 Mil	0.5x100M	Roll	No fading 5 years durability	
					2 Mil	0.2x100M	Roll		
Window Glass Film Strip White	WT-SW	/	/	/	2 Mil	1.52x30M 5x98FT	Roll	No fading 5 years durability	
Window Glass Film Frosted White	WT-FW	/	/	/	2 Mil	1.52x30M 5x98FT	Roll	No fading 5 years durability	

Contact Us:

Email: sales@sinovinyl.com

Website: <https://www.sinovinyl.com>

Facebook: <https://www.facebook.com/sinovinyl>

Instagram: @sinovinyl



SINO
SINO GROUP
High Quality Vinyl Materials Manufacturer
SINO VINYL®

SINO VINYL® Perfect Graphics Solutions


- Car Wrap Vinyl
- Cutting Vinyl
- Self Adhesive Vinyl
- Graphic Vinyl
- PPF Film
- Heat Transfer Vinyl
- Printing Vinyl
- Window Tint Film



Magnetron Ceramics Window Tint Film

High definition/ Nano tungsten oxide
Nano titanium nitride/ Durability 8 years

MC-BK5	1.52x30M/5x98FT	Black	VLT5% IRR99% UVR99%
MC-BK25	1.52x30M/5x98FT	Black	VLT25% IRR99% UVR99%
MC-BK35	1.52x30M/5x98FT	Black	VLT35% IRR99% UVR99%
MC-BK50	1.52x30M/5x98FT	Black	VLT50% IRR99% UVR99%



Diffuse Ceramic Window Tint Film

Diffuse reflection/ High definition/ High insulation/
Prevent glare/ Nano tungsten oxide
Durability 8 years/ Nano titanium nitride

DC-BK8	1.52x30M/5x98FT	Black	VLT8% IRR95% UVR99%
DC-BK20	1.52x30M/5x98FT	Black	VLT20% IRR95% UVR99%
DC-BK38	1.52x30M/5x98FT	Black	VLT38% IRR95% UVR99%
DC-BK60	1.52x30M/5x98FT	Black	VLT60% IRR95% UVR99%
DC-BK70	1.52x30M/5x98FT	Black	VLT70% IRR95% UVR99%

Six big benefits

1. Heat insulation



Hot summer let you feel the coolness of low 5 °

2. Block uv



Protect the health and safety

3. To protect privacy



To prevent being peep

4. Energy saving



To reduce carbon emissions

5. explosion-proof



Improve the safety factor

6. To reduce glare




Protect the skin and eyesight




Red

VLT 2.6%
IRR 10.5%
UVR 99%



Pink

VLT 39.9%
IRR 13.1%
UVR 57.4%



Orange

VLT 24.7%
IRR 9.5%
UVR 93.4%




Mint Green

VLT 29.9%
IRR 27.9%
UVR 99.8%



Light Blue

VLT 55.5%
IRR 10.9%
UVR 84.7%



Green

VLT 54.9%
IRR 12.4%
UVR 99.5%




Yellow

VLT 80.8%
IRR 13.3%
UVR 82.7%



Purple

VLT 9.3%
IRR 10.7%
UVR 87.2%




Brown

VLT 16.5%
IRR 10.5%
UVR 90%



VLT 86%
IRR 11%
UVR 60%



VLT 53%
IRR 13%
UVR 27%