



High Quality Vinyl Materials Manufacturer



SINO VINYL[®]
Perfect Graphics Solutions

Window Tint Film

Item	Code	VLT	UVR	IRR	TSER	Thickness	Size	Unit	Feature	Picture
Ultra-High Definition Magnetron Ceramics Window Tint Film	MC-BK05	7%	100%	98%	95%	2Mil	1.52x30M 5x98FT	Roll	IRR 99%, Anti glare Anti-explosion, Clear vision High definition High thermal insulation 10 years warranty	
Ultra-High Definition Magnetron Ceramics Window Tint Film	MC-BK10	8%	100%	99%	95%	2Mil	1.52x30M 5x98FT	Roll	IRR 99%, Anti glare Anti-explosion, Clear vision High definition High thermal insulation 10 years warranty	

<p>Ultra-High Definition Magnetron Ceramics Window Tint Film</p>	<p>MC-BK20</p>	<p>21%</p>	<p>99%</p>	<p>98%</p>	<p>88%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>IRR 99%, Anti glare Anti-explosion, Clear vision High definition High thermal insulation 10 years warranty</p>	
<p>Ultra-High Definition Magnetron Ceramics Window Tint Film</p>	<p>MC-BK40</p>	<p>38%</p>	<p>100%</p>	<p>98%</p>	<p>77%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>IRR 99%, Anti glare Anti-explosion, Clear vision High definition High thermal insulation 10 years warranty</p>	
<p>Ultra-High Definition Magnetron Ceramics Window Tint Film</p>	<p>MC-BK60</p>	<p>62%</p>	<p>98%</p>	<p>97%</p>	<p>64%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>IRR 99%, Anti glare Anti-explosion, Clear vision High definition High thermal insulation 10 years warranty</p>	
<p>Ultra-High Definition Magnetron Ceramics Window Tint Film</p>	<p>MC-BK70</p>	<p>70%</p>	<p>99%</p>	<p>94%</p>	<p>59%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>IRR 99%, Anti glare Anti-explosion, Clear vision High definition High thermal insulation 10 years warranty</p>	

Diffuse Ceramic Magnetron Window Tint Film	DC-BK05	10%	100%	90%	92%	2Mil	1.52x30M 5x98FT	Roll	Anti glare High definition High thermal insulation No oxidize 8 years warranty	
Diffuse Ceramic Magnetron Window Tint Film	DC-BK15	18%	100%	91%	87%	2Mil	1.52x30M 5x98FT	Roll	Anti glare High definition High thermal insulation No oxidize 8 years warranty	
Diffuse Ceramic Magnetron Window Tint Film	DC-BK25	24%	99%	90%	83%	2Mil	1.52x30M 5x98FT	Roll	Anti glare High definition High thermal insulation No oxidize 8 years warranty	
Diffuse Ceramic Magnetron Window Tint Film	DC-BK35	35%	100%	91%	78%	2Mil	1.52x30M 5x98FT	Roll	Anti glare High definition High thermal insulation No oxidize 8 years warranty	

Diffuse Ceramic Magnetron Window Tint Film	DC-BK60	58%	100%	86%	63%	2Mil	1.52x30M 5x98FT	Roll	Anti glare High definition High thermal insulation No oxidize 8 years warranty	
Diffuse Ceramic Magnetron Window Tint Film	DC-BK70	64%	100%	85%	64%	2Mil	1.52x30M 5x98FT	Roll	Anti glare High definition High thermal insulation No oxidize 8 years warranty	
High Thermal Insulation Ceramics Carbon Window Tint Film	CC-BK05	5%	100%	97%	95%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years warranty	
High Thermal Insulation Ceramics Carbon Window Tint Film	CC-BK10	9%	100%	90%	89%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years warranty	

<p>High Thermal Insulation Ceramics Carbon Window Tint Film</p>	<p>CC-BK15</p>	<p>17%</p>	<p>100%</p>	<p>88%</p>	<p>85%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 5 years warranty</p>	
<p>High Thermal Insulation Ceramics Carbon Window Tint Film</p>	<p>CC-BK35</p>	<p>36%</p>	<p>100%</p>	<p>84%</p>	<p>74%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 5 years warranty</p>	
<p>High Thermal Insulation Ceramics Carbon Window Tint Film</p>	<p>CC-BK50</p>	<p>50%</p>	<p>100%</p>	<p>81%</p>	<p>65%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 5 years warranty</p>	

<p>High Thermal Insulation Ceramics Carbon Window Tint Film</p>	<p>CC-BK70</p>	<p>73%</p>	<p>100%</p>	<p>77%</p>	<p>51%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 5 years warranty</p>	
<p>High Thermal Insulation Ceramics Carbon Window Tint Film</p>	<p>IR-0890</p>	<p>10%</p>	<p>100%</p>	<p>91%</p>	<p>92%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 5 years warranty</p>	
<p>High Thermal Insulation Ceramics Carbon Window Tint Film</p>	<p>IR-1090</p>	<p>13%</p>	<p>100%</p>	<p>84%</p>	<p>86%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 5 years warranty</p>	

High Thermal Insulation Ceramics Carbon Window Tint Film	IR-1585	17%	100%	90%	87%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years warranty	
High Thermal Insulation Ceramics Carbon Window Tint Film	IR-1590	12%	100%	94%	91%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years warranty	
High Thermal Insulation Ceramics Carbon Window Tint Film	IR-2090	22%	100%	90%	85%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years warranty	

<p>High Thermal Insulation Ceramics Carbon Window Tint Film</p>	<p>IR-2590</p>	<p>27%</p>	<p>100%</p>	<p>83%</p>	<p>79%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 5 years warranty</p>	
<p>High Thermal Insulation Ceramics Carbon Window Tint Film</p>	<p>IR-3590</p>	<p>35%</p>	<p>99%</p>	<p>91%</p>	<p>78%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 5 years warranty</p>	
<p>High Thermal Insulation Ceramics Carbon Window Tint Film</p>	<p>IR-6090</p>	<p>57%</p>	<p>99%</p>	<p>90%</p>	<p>65%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 5 years warranty</p>	

High Thermal Insulation Ceramics Carbon Window Tint Film	IR-7090	69%	98%	91%	58%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years warranty	
High Thermal Insulation Ceramics Carbon Window Tint Film	IR-8080	78%	97%	76%	48%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 5 years warranty	
Nano Carbon Window Tint Film	SD-BK05	5%	100%	62%	81%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition No oxidize 5 years warranty	

Nano Carbon Window Tint Film	SD-BK15	12%	97%	56%	76%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition No oxidize 5 years warranty	
Nano Carbon Window Tint Film	SD-BK25	27%	99%	51%	65%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition No oxidize 5 years warranty	
Nano Carbon Window Tint Film	SD-BK35	39%	97%	45%	56%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition No oxidize 5 years warranty	

Nano Carbon Window Tint Film	SD-BK50	47%	68%	33%	45%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition No oxidize 5 years warranty	
Nano Carbon Window Tint Film	SD-BK70	71%	96%	29%	32%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition No oxidize 5 years warranty	
3Mil Ultra-High Definition Metallic Window Tint Film	VK-0595	4%	100%	89%	93%	3Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 8 years warranty	

3Mil Ultra-High Definition Metallic Window Tint Film	VK-1595	11%	100%	89%	90%	3Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 8 years warranty	
3Mil Ultra-High Definition Metallic Window Tint Film	VK-2095	21%	100%	89%	84%	3Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 8 years warranty	
3Mil Ultra-High Definition Metallic Window Tint Film	VK-3295	31%	100%	87%	78%	3Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 8 years warranty	

<p>3Mil Ultra-High Definition Metallic Window Tint Film</p>	<p>VK-7095</p>	<p>69%</p>	<p>100%</p>	<p>87%</p>	<p>57%</p>	<p>3Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	
<p>3Mil Ultra-High Definition Nano Window Tint Film</p>	<p>SF-BK05</p>	<p>5%</p>	<p>100%</p>	<p>90%</p>	<p>93%</p>	<p>3Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	
<p>3Mil Ultra-High Definition Nano Window Tint Film</p>	<p>SF-BK15</p>	<p>16%</p>	<p>100%</p>	<p>93%</p>	<p>89%</p>	<p>3Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	

<p>3Mil Ultra-High Definition Nano Window Tint Film</p>	<p>SF-BK25</p>	<p>21%</p>	<p>100%</p>	<p>90%</p>	<p>85%</p>	<p>3Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	
<p>3Mil Ultra-High Definition Nano Window Tint Film</p>	<p>SF-BK35</p>	<p>33%</p>	<p>100%</p>	<p>94%</p>	<p>80%</p>	<p>3Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	
<p>3Mil Ultra-High Definition Nano Window Tint Film</p>	<p>SF-BK70</p>	<p>64%</p>	<p>99%</p>	<p>98%</p>	<p>62%</p>	<p>3Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	

<p>3Mil Ultra-High Definition Nano Window Tint Film</p>	<p>SF-BK75</p>	<p>67%</p>	<p>98%</p>	<p>87%</p>	<p>57%</p>	<p>3Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	
<p>2Mil High Thermal Insulation Window Tint Film</p>	<p>G-03100</p>	<p>5%</p>	<p>100%</p>	<p>97%</p>	<p>96%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	
<p>2Mil High Thermal Insulation Window Tint Film</p>	<p>G-05100</p>	<p>7%</p>	<p>100%</p>	<p>96%</p>	<p>95%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	

<p>2Mil High Thermal Insulation Window Tint Film</p>	<p>G-15100</p>	<p>19%</p>	<p>100%</p>	<p>97%</p>	<p>89%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	
<p>2Mil High Thermal Insulation Window Tint Film</p>	<p>G-35100</p>	<p>35%</p>	<p>99%</p>	<p>97%</p>	<p>79%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	
<p>2Mil High Thermal Insulation Window Tint Film</p>	<p>G-50100</p>	<p>50%</p>	<p>99%</p>	<p>96%</p>	<p>71%</p>	<p>2Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch High definition High thermal insulation No oxidize 8 years warranty</p>	

2Mil High Thermal Insulation Window Tint Film	G-70100	67%	98%	97%	61%	2Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 8 years warranty	
4Mil High Thermal Insulation Window Tint Film	AK-0599	6%	100%	97%	96%	4Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 8 years warranty	
4Mil High Thermal Insulation Window Tint Film	AK-1899	18%	100%	98%	89%	4Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 8 years warranty	

4Mil High Thermal Insulation Window Tint Film	AK-3599	33%	100%	97%	80%	4Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 8 years warranty	
4Mil High Thermal Insulation Window Tint Film	AK-5099	48%	99%	96%	72%	4Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 8 years warranty	
4Mil High Thermal Insulation Window Tint Film	AK-7099	66%	98%	97%	61%	4Mil	1.52x30M 5x98FT	Roll	Anti-scratch High definition High thermal insulation No oxidize 8 years warranty	

2 Mil Security Window Tint Film	2M-90	88%	18%	11%	12%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 5 years durability	 <p>A spectrophotometer reading for the 2 Mil Security Window Tint Film. The device is purple and shows the following values: VLT 87.5%, IPR 17.8%, 940nm IPR 10.5%, and TSER 11.5%.</p>
4 Mil Security Window Tint Film	4M-90	88%	17%	10%	11%	4 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 5 years durability	 <p>A spectrophotometer reading for the 4 Mil Security Window Tint Film. The device is purple and shows the following values: VLT 88.4%, IPR 17.3%, 940nm IPR 9.7%, and TSER 10.7%.</p>
4 Mil Black Security Window Tint Film	4M-BK05	8%	100%	74%	84%	4 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 5 years durability	 <p>A spectrophotometer reading for the 4 Mil Black Security Window Tint Film. The device is purple and shows the following values: VLT 7.7%, IPR 100%, 940nm IPR 74.2%, and TSER 84.3%. The device also displays 'HOLD'.</p>

4 Mil Black Security Window Tint Film	4M-BK15	16%	100%	59%	73%	4 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 5 years durability	
4 Mil Black Security Window Tint Film	4M-BK30	31%	100%	45%	60%	4 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 5 years durability	
4 Mil Black Security Window Tint Film	4M-BK50	46%	99%	34%	47%	4 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 5 years durability	

8 Mil Security Window Tint Film	8M-90	88%	20%	9%	11%	8 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 5 years durability	
12 Mil Security Window Tint Film	12M-90	88%	22%	10%	11%	12 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 5 years durability	
Chameleon Car Window Tint Film Black Purple	WT-2099	21%	99%	93%	86%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	

Chameleon Car Window Tint Film Blue	WT-5099	50%	99%	94%	70%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
Chameleon Car Window Tint Film Green Red	WT-5599	57%	99%	90%	65%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
Chameleon Car Window Tint Film Blue Purple	WT-6099	60%	99%	94%	64%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	

Chameleon Car Window Tint Film Blue Purple	WT-6599	65%	99%	92%	61%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
Chameleon Car Window Tint Film Blue Purple	WT-7099	71%	97%	85%	44%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	
Chameleon Car Window Tint Film Blue Purple	WT-7095	65%	98%	90%	60%	2 Mil	1.52x30M 5x98FT	Roll	Anti-scratch No fading Security film Anti-explosion 8 years durability	




<p>Chameleon Car Window Tint Film Blue Red</p>	<p>WT-7590</p>	<p>76%</p>	<p>98%</p>	<p>80%</p>	<p>50%</p>	<p>2 Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch No fading Security film Anti-explosion 8 years durability</p>	
<p>Chameleon Car Window Tint Film Purple</p>	<p>WT-8570</p>	<p>80%</p>	<p>97%</p>	<p>66%</p>	<p>43%</p>	<p>2 Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch No fading Security film Anti-explosion 8 years durability</p>	
<p>Chameleon Car Window Tint Film Red</p>	<p>WT-8599</p>	<p>88%</p>	<p>95%</p>	<p>31%</p>	<p>19%</p>	<p>2 Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch No fading Security film Anti-explosion 8 years durability</p>	

<p>Chameleon Car Window Tint Film Purple</p>	<p>WT-9970</p>	<p>69%</p>	<p>97%</p>	<p>89%</p>	<p>57%</p>	<p>2 Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch No fading Security film Anti-explosion 8 years durability</p>	
<p>Chameleon Car Window Tint Film Purple</p>	<p>WT-9975</p>	<p>66%</p>	<p>98%</p>	<p>92%</p>	<p>60%</p>	<p>2 Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>Anti-scratch No fading Security film Anti-explosion 8 years durability</p>	
<p>Rainbow Window Tint Film Rainbow blue purple</p>	<p>8590</p>	<p>74%</p>	<p>46%</p>	<p>13%</p>	<p>21%</p>	<p>3.2Mil</p>	<p>1.38x30M 4.5x98FT</p>	<p>Roll</p>	<p>No fading 5 years durability</p>	

<p>Rainbow Window Tint Film Rainbow amber orange</p>	<p>8591</p>	<p>14%</p>	<p>17%</p>	<p>11%</p>	<p>53%</p>	<p>3.2Mil</p>	<p>1.38x30M 4.5x98FT</p>	<p>Roll</p>	<p>No fading 5 years durability</p>	
<p>Window Tint Film Mint Green</p>	<p>WT-MG</p>	<p>39%</p>	<p>95%</p>	<p>13%</p>	<p>43%</p>	<p>2 Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>3 years durability Indoor use only Outdoor use color easy fade</p>	
<p>Window Tint Film Orange</p>	<p>WT-OR</p>	<p>30%</p>	<p>94%</p>	<p>9%</p>	<p>47%</p>	<p>2 Mil</p>	<p>1.52x30M 5x98FT</p>	<p>Roll</p>	<p>3 years durability Indoor use only Outdoor use color easy fade</p>	

Window Tint Film Light Blue	WT-LB	50%	85%	11%	36%	2 Mil	1.52x30M 5x98FT	Roll	3 years durability Indoor use only Outdoor use color easy fade	
Window Tint Film Pink	WT-PK	46%	51%	11%	37%	2 Mil	1.52x30M 5x98FT	Roll	3 years durability Indoor use only Outdoor use color easy fade	
Window Tint Film Yellow	WT-YL	79%	79%	10%	19%	2 Mil	1.52x30M 5x98FT	Roll	3 years durability Indoor use only Outdoor use color easy fade	

Window Tint Film Red	WT-RD	8%	100%	9%	60%	2 Mil	1.52x30M 5x98FT	Roll	3 years durability Indoor use only Outdoor use color easy fade	
Window Tint Film Brown	WT-BR	22%	89%	10%	52%	2 Mil	1.52x30M 5x98FT	Roll	3 years durability Indoor use only Outdoor use color easy fade	
Window Tint Film Purple	WT-PU	19%	81%	12%	54%	2 Mil	1.52x30M 5x98FT	Roll	3 years durability Indoor use only Outdoor use color easy fade	

Window Tint Film Green	WT-GR	39%	98%	12%	43%	2 Mil	1.52x30M 5x98FT	Roll	3 years durability Indoor use only Outdoor use color easy fade	
Window Tint Film-Silver	SL-60S	58%	32%	52%	46%	2 Mil	1.52x30M 5x98FT	Roll	No fading Anti-explosion 3 years durability	
Window Tint Film-Silver	SL-35S	40%	46%	68%	63%					
Window Tint Film-Silver	SL-15S	22%	65%	81%	80%					
Window Tint Film-Silver	SL-05S	8%	85%	93%	92%					
Window Tint Film-Light Blue Silver	SL-15BL	20%	81%	75%	79%					
Window Tint Film-Blue Silver	SL-17BLS	18%	83%	74%	80%					
Window Tint Film-Dark Blue Silver	SL-10BL	18%	70%	75%	80%					
Window Tint Film-Grey Silver	SL-10GYS	17%	84%	62%	76%					
Window Tint Film-Light Green Silver	SL-10GN	18%	79%	75%	79%					
Window Tint Film-Green Silver	SL-10AG	15%	89%	83%	85%					
Window Tint Film-Olive Green Silver	SL-15GS	18%	94%	56%	74%					
Window Tint Film-Gold Silver	SL-15GD	27%	73%	77%	76%					
Window Tint Film-Light Gold Silver	SL-15Y	27%	75%	75%	74%					
Window Tint Film-Rose Gold Silver	SL-10BR	15%	80%	82%	85%					
Window Tint Film-Rose Red Silver	SL-0580R	7%	90%	74%	86%					
Window Tint Film-Dark Black Silver	SL-0560BK	2%	100%	64%	86%					
Window Tint Film-Black Silver	SL-FX0560BK	3%	99%	64%	85%					
Window Tint Film Strip White	WT-SW	/	/	/		2 Mil	1.52x30M 5x98FT	Roll	No fading 5 years durability	
Window Tint Film Frosted White	BL-20W	20%	93%	73%	70%	2 Mil	1.52x30M 5x98FT	Roll	No fading 5 years durability	
Window Tint Film Frosted White	BL-40W	37%	79%	57%	57%	2 Mil	1.52x30M 5x98FT	Roll		
Window Tint Film Gloss White	BL-WO	6%	100%	89%	86%	2 Mil	1.52x30M 5x98FT	Roll		
Window Tint Film Blackout	BL-B-MT	0%	100%	100%	100%	2 Mil	1.52x30M 5x98FT	Roll	No fading 5 years durability	

Window Tint Film Frosted Silver	BL-MSY	2%	99%	98%	98%	2 Mil	1.52x30M 5x98FT	Roll	No fading 5 years durability	
1 PLY Dyed Car Windw Tint Film	1P-BK05	5%	80%	65%	84%	1.2 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
1 PLY Dyed Car Windw Tint Film	1P-BK18	18%	80%	55%	69%	1.2 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
1 PLY Dyed Car Windw Tint Film	1P-BK35	35%	80%	45%	60%	1.2 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
1 PLY Dyed Car Windw Tint Film	1P-BK50	50%	80%	30%	47%	1.2 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
1.5Mil 1 PLY Dyed Car Windw Tint Film	1PA-BK03	3%	99%	64%	86%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
1.5Mil 1 PLY Dyed Car Windw Tint Film	1PA-BK05	6%	99%	62%	84%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
1.5Mil 1 PLY Dyed Car Windw Tint Film	1PA-BK15	15%	96%	57%	75%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
1.5Mil 1 PLY Dyed Car Windw Tint Film	1PA-BK35	34%	92%	34%	55%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
1.5Mil 1 PLY Dyed Car Windw Tint Film	1PA-BK50	46%	85%	28%	46%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
1.5Mil 1 PLY Dyed Car Windw Tint Film	1PA-BK70	69%	68%	20%	29%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	

2 PLY Dyed Car Windw Tint Film	2P-BK03	4%	99%	78%	88%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
2 PLY Dyed Car Windw Tint Film	2P-BK08	8%	99%	65%	80%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
2 PLY Dyed Car Windw Tint Film	2P-BK18	18%	80%	55%	72%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
2 PLY Dyed Car Windw Tint Film	2P-BK35	35%	80%	45%	55%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
2 PLY Dyed Car Windw Tint Film	2P-BK40	40%	65%	57%	50%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
2 PLY Dyed Car Windw Tint Film	2P-BK50	50%	56%	50%	45%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	
2 PLY Dyed Car Windw Tint Film	2P-BK60	60%	47%	40%	40%	1.5 Mil	1.52x30M 5x98FT	Roll	Side windshield Back windshield Anti-scratch No fading 3 years durability	

Contact Us:

Email: sales@sinovinyl.com

Website: <https://www.sinovinyl.com>

Facebook: <https://www.facebook.com/sinovinyl>

Instagram: [@sinovinyl](https://www.instagram.com/sinovinyl)



SINO
SINO GROUP
 High Quality Vinyl Materials Manufacturer
SINO VINYL[®]
 SINO VINYL[®] Perfect Graphics Solutions

Car Wrap Vinyl	PPF Film
Cutting Vinyl	Heat Transfer Vinyl
Self Adhesive Vinyl	Printing Vinyl
Graphic Vinyl	Window Tint Film